

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier		
Product Name	Silk Paints	
Trade Name	Silk Paints	
Product code	Silk Paints	
CAS No.	Mixture	
EC No.	Mixture	
REACH Registration No.	None assigned	
1.2 Relevant identified uses of the substance or mixture and uses advised against		
Identified Use(s)	The Silk Paint is to be used for arts & craft work.	
Uses Advised Against	None known	
1.3 Details of the supplie	er of the safety data sheet	
Manufacturer		
Company Identification	Anglo Adhesives & Services Ltd.	
Address of Manufacturer	Anglo House The Airfield	
	Dalby Road,	
	Melton Mowbray Leicestershire	
Postal code	LE13 OBL	
Telephone:	+44 (0) 1664 480866	
Fax	+44 (0) 1664 480963	
E-mail	sales@angloadhesives.co.uk	
Office hours	Mon-Thurs 08:30-17:00, Fri 08:30-14:00	
Supplier		
Company Identification	Not known.	
Address of Supplier	Not known.	
Postal code	Not known.	
Telephone:	Not known.	
Fax	Not known.	
E-mail	Not known.	
Office hours		
1.4 Emergency telephone	e number	
Emergency Phone No.	+44 (0) 1664 480866 or NHS - 111	
Contact	(Office Hours)	
2. SECTION 2: HAZARDS	IDENTIFICATION	
2.1 Classification of the	substance or mixture	
2.1.1 Regulation (EC) No. 1272/2008 (CLP)	Not classified as harmful.	
2.2 Label elements	This product does not need labelling according to Regulation (EC) No. 1272/2008	
(CLP) Product Name	Silk Paint	
Circul Mand(a)	Nega	



### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Coloured liquid paint.

# 4. SECTION 4: FIRST AID MEASURES

4. SECTION 4: FIRST AID MI	LAJURES	
4.1 Description of first aid	measures	
Inhalation	The paints are not considered to be a hazard as supplied.	
Skin Contact	Wash skin with water. Seek medical advice if there is irritation.	
Eye Contact	Flush eyes with water for at least 10 minutes.	
Ingestion	Wash out mouth with water. Seek medical advice if necessary.	
4.2 Most important symptoms and effects, both acute and delayed	Allergic skin reactions.	
4.3 Indication of any immediate medical attention and special treatment needed	Skin reaction like itching, reddening, blistering may appear after hours.	
<b>5. SECTION 5: FIREFIGHTIN</b>	G MEASURES	
5.1 Extinguishing media	As appropriate for surrounding fire	
Suitable Extinguishing media Unsuitable extinguishing media	As appropriate for surrounding fire.	
• •	If these products are ignited or exposed to elevated temperatures causing	
the substance or mixture	decomposition, carbon monoxide or carbon monoxide may be emitted.	
5.3 Advice for fire-fighters	Wear self-contained breathing apparatus for firefighting.	
6. SECTION 6: ACCIDENTAL RELEASE MEASURES		
6.1 Personal precautions, protective equipment and emergency procedures	No special precautions.	
<ul><li>6.2 Environmental precautions</li><li>6.3 Methods and material for containment and cleaning up</li></ul>	Not applicable. Wipe up with kitchen towel and clean up the residue with warm, soapy water.	
6.4 Reference to other sections	See Also Section 13.	
7. SECTION 7: HANDLING A	ND STORAGE	
7.1 Precautions for safe	Avoid contact with eyes.	
handling	Avoid repeated prolonged contact with skin.	
	Take care to avoid spills. Do not eat and drink when using the product. Wash hands after use and remove any items of contaminated clothing.	
7.2 Conditions for safe storage, including any incompatibilities		
Storage temperature	Ambient.	
Storage life	Stable under normal conditions. Store between 5-25°C in its sealed container.	
Incompatible materials	None known.	

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Silk Painting Applications.

### 8.1.1 Occupational Exposure Limits

7.3 Specific end use(s)



### Silk Paints

8.2.1. Appropriate engineering controls
8.2.2. Personal protection equipment
Not normally required.



Not normally required.

Skin protection

Normally no personal respiratory protection is necessary.

Respiratory protection

Thermal hazardsNone known.8.2.3. Environmental ExposureNone known.Controls

# 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Various.
Odour	Slight.
Odour threshold	Not known.
рН	7 - 9.
Melting point/freezing point	$0^{\circ}C$ (based on water component).
Boiling point/boiling range (°C):	$100^{\circ}C$ (based on water component).
Flash Point	Not applicable.
Flash Point Range	Not known.
Density (g/ml)	0.9-1.1 at 20°C.
Evaporation rate	As water.
Flammability	Not known.
Vapour density	Not applicable.
Vapour pressure	Not known.
Relative density	Not known.
Solubility (Water)	miscible.
Solubility (Other)	Not known.
Partition coefficient: n- octanol/water	Not known.
Auto-ignition temperature	Not self-igniting.
Decomposition Temperature (°C)	Not known.
Viscosity	1 - 200 mPa.s
Upper/lower flammability or explosive limits	Not known.
Other information	Not known.
10 SECTION 10. STABILITY	

### **10. SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity

None anticipated.



Silk Paints

10.2 Chemical Stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	Avoid contact with acids.
10.5 Incompatible materials	None anticipated during normal handling and use. Avoid contact with other materials
	particularly acids, alkali's and strong oxidising agents.
10.6 Hazardous decomposition	On combustion emits toxic fumes of carbon dioxide and/or carbon monoxide.

10.6 Hazardous decomposition product(s)

# **11. SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on toxicological effects		
Acute toxicity - Ingestion	Not classified.	
Acute toxicity - Skin Contact	May be mild irritation.	
Acute toxicity - Inhalation	Not classified.	
Skin corrosion/irritation	Not classified.	
Serious eye damage/irritation	Not classified.	
Skin sensitization data	Not classified.	
Respiratory sensitization data	May cause coughing or wheezing.	
Germ cell mutagenicity	Not classified.	
Carcinogenicity	Not classified.	
Reproductive toxicity	Not classified.	
Lactation	Not classified.	
STOT - single exposure	Not classified.	
STOT - repeated exposure	Not classified.	
Aspiration hazard	Not classified.	
11.2 Other information	The substance is not subject to classification according to the latest version of the El lists.	

### 12. SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity 12.2. Bioaccumulative potential	Not classified Not known.
12.3. Mobility in soil	Not known.
12.4. Results of PBT and vPvB assessment	Not known.
12.6 Other adverse effects	Not known.

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Disposal should be in accordance with local, state or national legislation.

13.2 Additional Information

#### 14. SECTION 14: TRANSPORT INFORMATION



# Silk Paints

# NOT CLASSED AS DANGEROUS FOR TRANSPORT.

# **15. SECTION 15: REGULATORY INFORMATION**

#### 15.1 European Regulations

Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation	All chemicals are not listed
REACH: ANNEX XIV list of substances subject to authorisation	All chemicals are not listed
REACH: ANNEX XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles	All chemicals are not listed
Community Rolling Action Plan (CoRAP)	Not known.
Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants	Not listed
Regulation (EC) N° 2037/2000 on substances that deplete the ozone layer	Not listed
Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
Article 2 of the Safety of Toys Directive 2009/48/EC.	Complies
15.2 National regulations	

Other

Not known.

# **16. SECTION 16: OTHER INFORMATION**

EUH 208 - Contains Bronopol and reaction mass of : 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1).

Hazard Pictogram(s)	
	None.
Signal Word(s)	None.
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Anglo Adhesives & Services Ltd. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Anglo Adhesives & Services Ltd. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.