SAFETY DATA SHEET
HYCOLIN PROFESSIONAL ANTIVIRAL ROOM FOGGER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name HYCOLIN PROFESSIONAL ANTIVIRAL ROOM FOGGER

Product number 800-499-0021 V10

Container size 200mL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Disinfectant.

1.3. Details of the supplier of the safety data sheet

Supplier

MIRIUS ™
A Coventry Group Company
Woodhams Road, Siskin Drive,
Coventry, England, CV3 4FX
www.mirius.com
info@mirius.com
+442476639739

Contact person For content of safety data sheet:, sds@mirius.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)

National emergency telephone number In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Aerosol 1 - H222, H229

Health hazards Eye Irrit. 2 - H319 STOT SE 3 - H336

Environmental hazards Not Classified

Classification (67/548/EEC or 1999/45/EC) -

2.2. Label elements

Hazard pictograms



Signal word Danger

HYCOLIN PROFESSIONAL ANTIVIRAL ROOM FOGGER

Hazard statements	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251 Do not pierce or burn, even after use. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Contains	ETHANOL, PROPAN-2-OL, METHANOL
Supplementary precautionary statements	P211 Do not spray on an open flame or other ignition source. P261 Avoid breathing spray. P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTRE/doctor if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/ attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ETHANOL **30-60%**

CAS number: 64-17-5 EC number: 200-578-6 REACH registration number: 01-2119457610-43-XXXX

Classification
Flam. Liq. 2 - H225
Eye Irrit. 2 - H319

PROPAN-2-OL **30-60%**

CAS number: 67-63-0 EC number: 200-661-7 REACH registration number: 01-2119457558-25-XXXX

Classification
Flam. Liq. 2 - H225
Eye Irrit. 2 - H319
STOT SE 3 - H336

HYCOLIN PROFESSIONAL ANTIVIRAL ROOM FOGGER

PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS		10-30%
CAS number: 68476-85-7	EC number: 270-704-2	REACH registration number: 01-2119485911-31-XXXX

Classification
Flam. Gas 1 - H220

METHANOL		<1%
CAS number: 67-56-1	EC number: 200-659-6	REACH registration number: 01-2119433307-44-XXXX

Classification
Flam. Liq. 2 - H225
Acute Tox. 3 - H301
Acute Tox. 3 - H311
Acute Tox. 3 - H331
STOT SE 1 - H370

Classification (67/548/EEC or 1999/45/EC)
F;R11 T;R23/24/25,R39/23/24/25

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep affected person warm and at rest. Get medical attention immediately.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention.

Skin contact Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Gas or vapour may irritate the respiratory system. May cause discomfort. Coughing, chest tightness, feeling of chest pressure.

Ingestion May irritate the mouth, throat and stomach.

Skin contact May cause irritation. Redness.

Eye contact May cause eye irritation. Redness. Profuse watering of the eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Treat symptomatically. Provide eyewash station.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire. Powder. Dry chemicals, sand, dolomite etc. Water spray, fog or mist.

HYCOLIN PROFESSIONAL ANTIVIRAL ROOM FOGGER

5.2. Special hazards arising from the substance or mixture

Specific hazards Extremely flammable aerosol. Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Containers close to fire should be removed or cooled with water. Use water to keep fire exposed containers cool and disperse vapours.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Wear appropriate clothing to prevent any possibility of skin contact.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of vapours and contact with skin and eyes. For personal protection, see Section 8. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. No smoking, sparks, flames or other sources of ignition near spillage.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Leave small quantities to evaporate, if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers.

6.4. Reference to other sections

Reference to other sections See Section 1 for emergency contact information. For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C. Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³
Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

HYCOLIN PROFESSIONAL ANTIVIRAL ROOM FOGGER

PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m³
Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m³

METHANOL

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m³
Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m³
Sk

WEL = Workplace Exposure Limit.
Sk = Can be absorbed through the skin.

Ingredient comments WEL = Workplace Exposure Limits

ETHANOL (CAS: 64-17-5)

DNEL
Workers - Inhalation; Long term systemic effects: 950 mg/m³
Workers - Inhalation; Short term local effects: 1900 mg/m³
Workers - Dermal; Long term systemic effects: 343 mg/kg
General population - Inhalation; Long term systemic effects: 114 mg/m³
General population - Inhalation; Short term local effects: 950 mg/m³
General population - Dermal; Long term systemic effects: 206 mg/kg/day
General population - Oral; Long term systemic effects: 87 mg/kg/day

PNEC
- Fresh water; 0.96 mg/l
- marine water; 0.79 mg/l
- Intermittent release; 2.75 mg/l
- STP; 580 mg/l
- Sediment (Freshwater); 3.6 mg/kg
- Sediment (Marinewater); 2.9 mg/kg
- Soil; 0.63 mg/kg

PROPAN-2-OL (CAS: 67-63-0)

DNEL
Workers - Inhalation; Long term systemic effects: 500 mg/m³
Workers - Dermal; Long term systemic effects: 888 mg/kg
General population - Inhalation; Long term systemic effects: 89 mg/m³
General population - Dermal; Long term systemic effects: 319 mg/kg
General population - Oral; Long term systemic effects: 26 mg/kg

PNEC
- Fresh water; 140.9 mg/l
- marine water; 140.9 mg/l
- Intermittent release; 140.9 mg/l
- STP; 2251 mg/l
- Sediment (Freshwater); 552 mg/kg
- Sediment (Marinewater); 552 mg/kg
- Soil; 28 mg/kg

METHANOL (CAS: 67-56-1)

DNEL
Workers - Inhalation; Long term systemic effects: 260 mg/m³
Workers - Inhalation; Short term systemic effects: 260 mg/m³
Workers - Inhalation; Long term local effects: 260 mg/m³
Workers - Inhalation; Short term local effects: 260 mg/m³

8.2. Exposure controls

HYCOLIN PROFESSIONAL ANTIVIRAL ROOM FOGGER

Protective equipment

Appropriate engineering controls	Provide adequate general and local exhaust ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.
Hygiene measures	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	Colourless.
Odour	Perfume.
Odour threshold	No information available.
pH	No information available.
Melting point	Not determined.
Initial boiling point and range	No information available.
Flash point	<23°C
Evaporation rate	No information available.
Flammability (solid, gas)	Extremely flammable aerosol.
Upper/lower flammability or explosive limits	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	No information available.
Solubility(ies)	Not relevant.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	Not determined.
Viscosity	Not available.

HYCOLIN PROFESSIONAL ANTIVIRAL ROOM FOGGER

Explosive properties	No information available.
Explosive under the influence of a flame	No data available.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information	None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	Stable under the prescribed storage conditions.

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid	Avoid heat, flames and other sources of ignition. Avoid contact with the following materials: Strong oxidising agents. Strong alkalis. Strong mineral acids. Keep at temperature not exceeding 50°C.

10.5. Incompatible materials

Materials to avoid	Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition products	Fire creates: Vapours/gases/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	Information given is based on data of the components and of similar products.
Other health effects	Does not contain any substances known to be carcinogenic.

Acute toxicity - oral

Notes (oral LD_{50})	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	17,555.56

Acute toxicity - dermal

Notes (dermal LD_{50})	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	33,333.33

Acute toxicity - inhalation

Notes (inhalation LC_{50})	Based on available data the classification criteria are not met.
ATE inhalation (dusts/mists mg/l)	55.56

Skin corrosion/irritation

Skin corrosion/irritation	Not classified. Based on available data the classification criteria are not met.

HYCOLIN PROFESSIONAL ANTIVIRAL ROOM FOGGER

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitisation

Respiratory sensitisation Not sensitising. Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Not classified. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Does not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation Gas or vapour may irritate the respiratory system. May cause discomfort. Coughing, chest tightness, feeling of chest pressure.

Ingestion May irritate the mouth, throat and stomach.

Skin contact May cause irritation. Redness.

Eye contact May cause irritation. Redness. Profuse watering of the eyes.

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

12.2. Persistence and degradability

Biodegradation The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No potential for bioaccumulation.

Partition coefficient No information available.

12.4. Mobility in soil

Mobility No data available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

HYCOLIN PROFESSIONAL ANTIVIRAL ROOM FOGGER

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Empty containers must not be punctured or incinerated because of the risk of an explosion. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1950

UN No. (IMDG) 1950

UN No. (ICAO) 1950

UN No. (ADN) 1950

14.2. UN proper shipping name

Proper shipping name (ADR/RID) AEROSOLS

Proper shipping name (IMDG) AEROSOLS

Proper shipping name (ICAO) AEROSOLS

Proper shipping name (ADN) AEROSOLS

14.3. Transport hazard class(es)

ADR/RID class 2.1

ADR/RID classification code 5F

ADR/RID label 2.1

IMDG class 2.1

ICAO class/division 2.1

ADN class 2.1

Transport labels

14.4. Packing group

ADR/RID packing group None

IMDG packing group None

ICAO packing group None

ADN packing group None

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

HYCOLIN PROFESSIONAL ANTIVIRAL ROOM FOGGER

14.6. Special precautions for user

EmS F-D, S-U

ADR transport category 2

Tunnel restriction code (D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).
Control of Substances Hazardous to Health Regulations 2002 (as amended).
EH40/2005 Workplace exposure limits.

EU legislation Commission Regulation (EU) No 2015/830 of 28 May 2015.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Guidance Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: Chemical Abstracts Service.
DNEL: Derived No Effect Level.
IMDG: International Maritime Dangerous Goods.
PBT: Persistent, Bioaccumulative and Toxic substance.
PNEC: Predicted No Effect Concentration.
SVHC: Substances of Very High Concern.
vPvB: Very Persistent and Very Bioaccumulative.

Revision date 18/08/2020

Revision 1

SDS number 22285

HYCOLIN PROFESSIONAL ANTIVIRAL ROOM FOGGER

Hazard statements in full

H220 Extremely flammable gas.
H222 Extremely flammable aerosol.
H225 Highly flammable liquid and vapour.
H229 Pressurised container: may burst if heated.
H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H336 May cause drowsiness or dizziness.
H370 Causes damage to organs .