

## SAFETY DATA SHEET

## Graduate Acrylic

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

## Trade name

Graduate Acrylic

## Product no.

D123xxxxxx

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Relevant identified uses of the substance or mixture

Paint

## Use descriptors (UK REACH)

| Sectors of use | Description  |
|----------------|--|
| LCS "C"        | Consumer uses: Private households (= general public = consumers) |

| Product category | Description                                     |
|------------------|---|
| PC 9a            | Coatings and Paints, Fillers, Putties, Thinners |

| Process category | Description                    |
|------------------|--------------------------------|
| PROC 10          | Roller application or brushing |

## Uses advised against

None known.

## 1.3. Details of the supplier of the safety data sheet

## Company and address

**Daler-Rowney Ltd.**

Peacock Lane Bracknell

RG12 8ST Bracknell

United Kingdom

+44 1344 461 156 (0730 – 1600 GMT)

www.daler-rowney.com

## Contact person

Research and Development

## Revision

19/06/2024

## SDS Version

4.0

## Date of previous version

05/06/2024 (3.0)

## 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

## 2.2. Label elements

## Hazard pictogram(s)

Not applicable.

## Signal word

Not applicable.

**Hazard statement(s)**

Not applicable.

**Precautionary statement(s)**

General

-

Prevention

-

Response

-

Storage

-

Disposal

-

▼ **Hazardous substances**

1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

▼ **Additional labelling**

EUH210, Safety data sheet available on request.

The product contains a biocidal product.

**2.3. Other hazards**

**Additional warnings**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

**SECTION 3: Composition/information on ingredients**

**3.1. Substances**

Not applicable. This product is a mixture.

**3.2. ▼ Mixtures**

| Product/substance                                       | Identifiers   | % w/w  | Classification  | Note |
|---|---|--------|---|------|
| 2-aminoethanol;ethanolamine                             | CAS No.: 141-43-5<br>EC No.: 205-483-3<br>UK-REACH:<br>Index No.: 603-030-00-8  | <1%    | Acute Tox. 4, H302<br>Acute Tox. 4, H312<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>Acute Tox. 4, H332<br>STOT SE 3, H335<br>Aquatic Chronic 3, H412 | [1]  |
| 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one | CAS No.: 2634-33-5<br>EC No.: 220-120-9<br>UK-REACH:<br>Index No.: 613-088-00-6 | <0.05% | Acute Tox. 4, H302<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Eye Dam. 1, H318<br>Aquatic Acute 1, H400 (M=10)                                     |      |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

**Other information**

[1] European occupational exposure limit.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### ▼ Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

#### Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

Not applicable.

#### 4.2. ▼ Most important symptoms and effects, both acute and delayed

None known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

#### 5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

#### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

**Storage temperature**

Room temperature 15 to 25°C  
Dry, cool and well ventilated

**Incompatible materials**

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

**7.3. Specific end use(s)**

This product should only be used for applications quoted in section 1.2.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

Limestone

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 10(inhalable)/4(respirable)

2-aminoethanol;ethanolamine

Long term exposure limit (8 hours) (ppm): 1

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 2,5

Short term exposure limit (15 minutes) (ppm): 3

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 7,6

Annotations:

Sk = Can be absorbed through the skin and lead to systemic toxicity.

Tetrasodium pyrophosphate

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 5

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.  
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

**DNEL**

1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

| <b>Duration:</b>                                  | <b>Route of exposure:</b> | <b>DNEL:</b>           |
|---|---------------------------|------------------------|
| Long term – Systemic effects - General population | Dermal                    | 345 µg/kgbw/day        |
| Long term – Systemic effects - Workers            | Dermal                    | 966 µg/kgbw/day        |
| Long term – Systemic effects - General population | Inhalation                | 1.2 mg/m <sup>3</sup>  |
| Long term – Systemic effects - Workers            | Inhalation                | 6.81 mg/m <sup>3</sup> |

2-aminoethanol;ethanolamine

| <b>Duration:</b>                                  | <b>Route of exposure:</b> | <b>DNEL:</b>          |
|---|---------------------------|-----------------------|
| Long term – Systemic effects - General population | Dermal                    | 1.5 mg/kg bw/day      |
| Long term – Systemic effects - Workers            | Dermal                    | 3 mg/kg bw/day        |
| Long term – Local effects - General population    | Inhalation                | 280 µg/m <sup>3</sup> |
| Long term – Local effects - Workers               | Inhalation                | 510 µg/m <sup>3</sup> |
| Long term – Systemic effects - General population | Inhalation                | 180 µg/m <sup>3</sup> |
| Long term – Systemic effects - Workers            | Inhalation                | 1 mg/m <sup>3</sup>   |
| Long term – Systemic effects - General population | Oral                      | 1.5 mg/kg bw/day      |

Tetrasodium pyrophosphate

| <b>Duration:</b>                                  | <b>Route of exposure:</b> | <b>DNEL:</b>            |
|---|---------------------------|-------------------------|
| Long term – Systemic effects - General population | Inhalation                | 4.35 mg/m <sup>3</sup>  |
| Long term – Systemic effects - Workers            | Inhalation                | 17.63 mg/m <sup>3</sup> |

**PNEC**

1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

| <b>Route of exposure:</b> | <b>Duration of Exposure:</b> | <b>PNEC:</b> |
|---------------------------|------------------------------|--------------|
|---------------------------|------------------------------|--------------|

|                                     |                              |              |
|-------------------------------------|------------------------------|--------------|
| Freshwater                          |                              | 4.03 µg/L    |
| Freshwater sediment                 |                              | 49.9 µg/kg   |
| Intermittent release (freshwater)   |                              | 1.1 µg/L     |
| Intermittent release (marine water) |                              | 110 ng/L     |
| Marine water                        |                              | 403 ng/L     |
| Marine water sediment               |                              | 4.99 µg/kg   |
| Sewage treatment plant              |                              | 1.03 mg/L    |
| Soil                                |                              | 3 mg/kg      |
| <b>2-aminoethanol;ethanolamine</b>  |                              |              |
| <b>Route of exposure:</b>           | <b>Duration of Exposure:</b> | <b>PNEC:</b> |
| Freshwater                          |                              | 70 µg/L      |
| Freshwater sediment                 |                              | 357 µg/kg    |
| Intermittent release (freshwater)   |                              | 28 µg/L      |
| Marine water                        |                              | 7 µg/L       |
| Marine water sediment               |                              | 35.7 µg/kg   |
| Sewage treatment plant              |                              | 100 mg/L     |
| Soil                                |                              | 1.29 mg/kg   |
| <b>Tetrasodium pyrophosphate</b>    |                              |              |
| <b>Route of exposure:</b>           | <b>Duration of Exposure:</b> | <b>PNEC:</b> |
| Freshwater                          |                              | 50 µg/L      |
| Intermittent release (freshwater)   |                              | 500 µg/L     |
| Marine water                        |                              | 5 µg/L       |
| Sewage treatment plant              |                              | 50 mg/L      |

## 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

### Exposure scenarios

There are no exposure scenarios implemented for this product.

### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

### Measures to avoid environmental exposure

No specific requirements.

## Individual protection measures, such as personal protective equipment

### Generally

Use only UKCA marked protective equipment.

### Respiratory Equipment

No specific requirements

### Skin protection

| Recommended | Type/Category | Standards |
|-------------|---------------|-----------|
|-------------|---------------|-----------|

Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester.

-

-



#### Hand protection

| Material | Glove thickness (mm) | Breakthrough time (min.) | Standards |
|----------|----------------------|--------------------------|-----------|
|----------|----------------------|--------------------------|-----------|

|         |     |       |                                |
|---------|-----|-------|--------------------------------|
| Nitrile | 2,0 | > 480 | EN374-2, EN374-3, EN388, EN407 |
|---------|-----|-------|--------------------------------|



#### Eye protection

No specific requirements.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Colour

Refer to label

#### Odour / Odour threshold

Characteristic

#### pH

8

#### Density (g/cm<sup>3</sup>)

1.2

#### Kinematic viscosity

50 mPa.s (20 °C)

#### Particle characteristics

Does not apply to liquids.

#### Phase changes

##### Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

##### Softening point/range (°C)

Does not apply to liquids.

##### Boiling point (°C)

Testing not relevant or not possible due to the nature of the product.

##### Vapour pressure

Testing not relevant or not possible due to the nature of the product.

##### Relative vapour density

Testing not relevant or not possible due to the nature of the product.

##### Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

#### Data on fire and explosion hazards

##### Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

##### Flammability (°C)

Testing not relevant or not possible due to the nature of the product.

##### Auto-ignition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

##### Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

#### Solubility

Solubility in water

Completely soluble

**n-octanol/water coefficient (LogKow)**

Testing not relevant or not possible due to the nature of the product.

**Solubility in fat (g/L)**

Testing not relevant or not possible due to the nature of the product.

## 9.2. Other information

**VOC (g/l)**

0

**Oxidizing properties**

Testing not relevant or not possible due to the nature of the product.

**Other physical and chemical parameters**

No data available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### ▼ Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Long term effects

None known.

#### Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to

health.

**Other information**

None known.

**SECTION 12: Ecological information**

**12.1. Toxicity**

No data available.

**12.2. Persistence and degradability**

Based on available data, the classification criteria are not met.

**12.3. Bioaccumulative potential**

Based on available data, the classification criteria are not met.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

**12.6. Endocrine disrupting properties**

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

**12.7. Other adverse effects**

None known.

**SECTION 13: Disposal considerations**

**Waste treatment methods**

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

**EWC code**

08 01 12 Waste paint and varnish other than those mentioned in 08 01 11

**Specific labelling**

**Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

**SECTION 14: Transport information**

|      | <b>14.1<br/>UN / ID</b> | <b>14.2<br/>UN proper shipping name</b> | <b>14.3<br/>Hazard class(es)</b> | <b>14.4<br/>PG*</b> | <b>14.5<br/>Env**</b> | <b>Other<br/>information:</b> |
|------|-------------------------|---|----------------------------------|---------------------|-----------------------|-------------------------------|
| ADR  | -                       | -                                       | -                                | -                   | -                     | -                             |
| IMDG | -                       | -                                       | -                                | -                   | -                     | -                             |
| IATA | -                       | -                                       | -                                | -                   | -                     | -                             |

\* Packing group

\*\* Environmental hazards

**Additional information**

Not dangerous goods according to ADR, IATA and IMDG.

**14.6. Special precautions for user**

Not applicable.

**14.7. Maritime transport in bulk according to IMO instruments**

No data available.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Restrictions for application**

No special.

**Demands for specific education**



No specific requirements.

**SEVESO - Categories / dangerous substances**

Not applicable.

**Additional information**

Not applicable.

**Sources**

In accordance with Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

**15.2. Chemical safety assessment**

No

**SECTION 16: Other information**

▼ **Full text of H-phrases as mentioned in section 3**

H302, Harmful if swallowed.

H312, Harmful in contact with skin.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H332, Harmful if inhaled.

H335, May cause respiratory irritation.

H400, Very toxic to aquatic life.

H412, Harmful to aquatic life with long lasting effects.

**The full text of identified uses as mentioned in section 1**

LCS "C" = Consumer uses: Private households (= general public = consumers)

PROC 10 = Roller application or brushing

PC 9a = Coatings and Paints, Fillers, Putties, Thinners

**Abbreviations and acronyms**

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SCL = A specific concentration limit  
SVHC = Substances of Very High Concern  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

**Additional information**

Not applicable.

**▼ The safety data sheet is validated by**

ST

**Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en