

SECTION 1: undertaking	Identification of the substance/mixture and of the company/
· 1.1 Product id	lentifier
	73xx.1 Series ; x = 04, 02, 35, 36,38,39, 51, 81
· Article number	
 Registration n The ingredient 1.2 Relevant i Currently no s 	
• Manufacturer/S	H & Co KG Schreibfarben 26 shafen 21/5402321 /5402391
Technical Serv Tel.: +49-621- Mobile +49-172 E-Mail: bernd.	6204412 polzin@dokumental.de telephone number: Büro GmbH / 84463
SECTION 2:	Hazards identification
GHS02 Flam. Liq. 2 Flam. Liq. 2 GHS07 Eye Irrit. 2 STOT SE 3 · 2.2 Label elem Labelling acco	H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. eents rding to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation.
GHS02 GHS	07
• Signal word Da	nger
1-methoxy-2-pr propan-2-ol • Hazard stateme H225 Highly fl H319 Causes se H336 May cause	nts ammable liquid and vapour. rious eye irritation. drowsiness or dizziness.
 Precautionary P210 	statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
P241 P303+P361+P353	smoking. Use explosion-proof electrical/ventilating/lighting/equipment. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
P305+P351+P338	water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
P405	if present and easy to do. Continue rinsing. Store locked up. (Contd. on page 2)
	econear on page 2, EU



Trade name: WB 73xx.1 Series ; x = 04, 02, 35, 36,38,39, 51, 81

(Contd. of page 1)

P501

Dispose of contents/container in accordance with local/regional/national/ international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

- Mixture of the following substances, containing non-hazardous substances and colouring agents. **Description:** Mixture of substances listed below with nonhazardous additions.

 Dangerous 	components:
-------------------------------	-------------

Dungeroub componen			
CAS: 64-17-5	ethanol	50-100%	
EINECS: 200-578-6	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319		
	1-methoxy-2-propanol	10-25%	
EINECS: 203-539-1	🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336		
CAS: 67-63-0	propan-2-ol	2,5-10%	
EINECS: 200-661-7	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336		
 Additional information 	tion: For the wording of the listed risk phrases refer to section 16.		

SECTION 4: First aid measures

 \cdot 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor. · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- \cdot 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- \cdot 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Wear protective clothing. 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Information about fire - and explosion protection:
- Keep ignition sources away Do not smoke. Protect from heat. Protect against electrostatic charges.

(Contd. on page 3)

EU

· pH-value:

· Change in condition

Melting point/Melting range: Boiling point/Boiling range:



Page 3/6 Printing date 26.05.2015 Revision: 26.05.2015 Version number 20

(Contd. on page 4)

EU

ad	le name: WB 73xx.1 Series ; x = 04, 02, 35, 36,38,39, 51, 81
	(Contd. of page 2
	7.2 Conditions for safe storage, including any incompatibilities Storage:
	Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed.
	Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.
·	7.3 Specific end use(s) No further relevant information available.
	SECTION 8: Exposure controls/personal protection
	Additional information about design of technical facilities: No further data; see item 7. 8.1 Control parameters
	Ingredients with limit values that require monitoring at the workplace:
	107-98-2 1-methoxy-2-propanol (10-25%)
	IOELV Short-term value: 568 mg/m ³ , 150 ppm
	Long-term value: 375 mg/m³, 100 ppm Skin
·	Additional information: The lists valid during the making were used as basis.
	8.2 Exposure controls
	Personal protective equipment:
•	General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
	Immediately remove all soiled and contaminated clothing
	Wash hands before breaks and at the end of work. Avoid contact with the eyes.
	Avoid contact with the eyes and skin.
	Respiratory protection:
	In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
•	Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the
	preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the
	preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and
	the degradation Material of gloves
	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore
	to be checked prior to the application. Penetration time of glove material
	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
•	Eye protection:
	Tightly sealed goggles
	SECTION 9: Physical and chemical properties
	9.1 Information on basic physical and chemical properties
·	General Information
·	Appearance:
	Form: Fluid Colour: According to product specification
	Colour: According to product specification Odour: Alcohol-like
•	Odour threshold: Not determined.
•	Important information on protection of health and environment, and on safety.

Not determined.

Undetermined. 78 °C



Trade name: WB 73xx.1 Series ; x = 04, 02, 35, 36,38,39, 51, 81

	(Contd. of page
Flash point:	13 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	287 °C
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits: Lower: Upper:	1,7 Vol % 15,0 Vol %
Vapour pressure at 20 °C:	59 hPa
Density: Relative density Vapour density Evaporation rate	Not determined. Not determined. Not determined. Not determined.
Solubility in / Miscibility with water:	Partly miscible.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents:	81,6 %
Solids content: 9.2 Other information	7,4 % The physical and chemical properties given in Section 9.1 are rough data only, which are partially derived from the component's data of the mixture. These data are no binding product specifications. surface tension: 24,5 mN/M

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- \cdot Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation Irritating effect.
- \cdot Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information: The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- \cdot 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 5) EU

Safety data sheet

okumental power your pen according to 1907/2006/EC, Article 31

Page 5/6 Printing date 26.05.2015 Revision: 26.05.2015 Version number 20

Trade name: WB 73xx.1 Series ; x = 04, 02, 35, 36, 38, 39, 51, 81

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN-Number	
· ADR, IMDG, IATA	UN1263
· 14.2 UN proper shipping name	
· ADR	1263 PAINT
· IMDG, IATA	PAINT
 14.3 Transport hazard class(es) 	
· ADR	
· Class	3 (F1) Flammable liquids.
· Label	3
· IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
 14.4 Packing group ADR, IMDG, IATA 	II
 14.5 Environmental hazards: Marine pollutant: 	No
 14.6 Special precautions for user 	Warning: Flammable liquids.
· Danger code (Kemler):	33
· EMS Number:	F-E, <u>S-E</u>
· 14.7 Transport in bulk according to Annex II o	
MARPOL73/78 and the IBC Code	Not applicable.
• Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
• Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
	(Contd. on page 6)
	(contrat, on page 6)

Safety data sheet



Page 6/6 Printing date 26.05.2015 Revision: 26.05.2015 Version number 20

Trade name: WB 73xx.1 Series ; x = 04, 02, 35, 36,38,39, 51, 81

(Contd. of page 5)

EU

```
UN "Model Regulation":
```

.

UN1263, PAINT, 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	50-100

- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant phrases H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IMTA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances ELLINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) Flam. Liq. 2: Flammable liquids, Hazard Category 2 Flam. Liq. 3: Flammable liquids, Hazard Category 3 Eye Irrit. 2: Service damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 * Data compared to the previous version altered.